Product data sheet

Specifications

Relay discrete output module, Modicon TSX Micro, 32 outputs, 3.5W

TSXDSZ32R5

⚠ **Discontinued on:** Dec 2, 2020

⚠ **To be end-of-service on:** Dec 31, 2027

⚠ **Discontinued - Service only**

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range Of Product	Modicon TSX Micro automation platform
Product Or Component Type	Relay discrete output module
Discrete Output Number	32 screw terminal block
Contacts Type And Composition	NO

Complementary

Output Voltage Limits	19...264 V AC 10...34 V DC
[Ith] Conventional Free Air Thermal Current	2 A
Power Consumption In Va	50 VA 24 V AC-12 resistive 24 VA 24 V AC-15 inductive 100 VA 48 V AC-12 resistive 200 VA 110...120 V AC-12 resistive 200 VA 200...240 V AC-12 resistive 50 VA 48 V AC-15 inductive 50 VA 110...120 V AC-15 inductive 50 VA 200...240 V AC-15 inductive
Power Consumption In W	24 V DC-13 inductive 24 V DC-12 resistive
Response Time	< 10 ms
Current Consumption	175 mA
Power Dissipation In W	3.5 W
Isolation Voltage	1500 V 1 s
Insulation Resistance	>= 10 mOhm

Ordering and shipping details

Category	US1PC1422556
Discount Schedule	PC14
Gtin	3389110761573
Returnability	No
Country Of Origin	FR

Packing Units

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.17 in (5.5 cm)
Package 1 Width	7.09 in (18.0 cm)
Package 1 Length	10.24 in (26.0 cm)
Package 1 Weight	22.61 oz (641.0 g)
Unit Type Of Package 2	S03
Number Of Units In Package 2	8
Package 2 Height	11.81 in (30.0 cm)
Package 2 Width	11.81 in (30.0 cm)
Package 2 Length	15.75 in (40.0 cm)
Package 2 Weight	12.13 lb(US) (5.5 kg)

Contractual warranty

Warranty	18 months

Sustainability

Green Premium^{TM} label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Eu Rohs Directive	Not applicable, out of EU RoHS legal scope
China Rohs Regulation	China RoHS declaration
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

Connections and Schema

Pre-Actuators/Outputs Connections

Wiring Diagram